

# main attractions

2600

TOE JUNCTION


VOLUME TEN, NUMBER THREE

AUTUMN 1993

The Hacker Quarterly

\$5

Hacking at the End of the Universe	4
The Wheel Cipher	6
True Colors	9
Caller ID Technicalities	12
Congressional Wake-up Call	14
UNIX Openings	16
Hacking Honesty Tests	20
Letters	24
Password Cracking Software	33
Changing Your Grades	34
Overview of DSS1	36
Book Review: Approaching Zero	38
Protecting Your Virus	40
2600 Marketplace	41
More Cellular Fun	42
The Last of the Acronym List (really)	44




## OUR ADDRESS:

2600 Magazine  
PO Box 752  
Middle Island, NY 11953 U.S.A.

2600  
TOE JUNCTION

# PAYPHONES OF EASTERN EUROPE

RUSSIA (St. Petersburg)



ESTONIA (Tallinn)



PHOTO BY SUBSCRIBER 6029

PHOTO BY SUBSCRIBER 6029

## POLAND (Krakow)




PHOTO BY HANNAKIE

## STAFF

**Editor-In-Chief**  
Emmanuel Goldstein

**Office Manager**  
Tamarit

**Artwork**  
Affra Gibbs

"At this time, the Secret Service has no reason to believe that the suspect(s) in this investigation, or the plaintiff in this case, were aware of the nature of the Secret Service's investigation, which is under investigation by the Secret Service, what information is in the possession of the Secret Service, or who has provided information to the Secret Service in regard to this matter." - Secret Service affidavit responding to CPB's Freedom of Information Act request concerning the break-in of the November 25, 1992 Washington DC 2600 Meeting.

Writers: Billie Blue Whale, Brit Cockey, Count Zara, John Deake, Paul Estey, Mr. French, Bob Hardy, Inhuman, Knight Lightning, Kevin Mitrnick, The Plague, Marshall Plan, Peter Rabbit, David Kuderna, Bertie S., Silent Switckman, Scott Skinner, Mr. Upsetter, Dr. Williams, and the strong and silent. Technical Expertise: Ileg Genggijja, Fisher Opik, Goo C. Tuboo. Shoot Outz: Eli, Paul, and Ben.

2600 (ISSN 0749-3851) is published quarterly by 2600 Enterprises, Inc., 7 Strong's Lane, Seneca Falls, NY 13143. Second class postage paid at Seneca Falls, New York Postmaster: Send address changes to 2600, P.O. Box 752, Middle Island, NY 11953-0752. Copyright (c) 1993 2600 Enterprises, Inc. Yearly subscriber U.S. and Canada - \$21 individual, \$50 corporate (U.S. funds). Overseas - \$30 individual, \$65 corporate. Back issues available for 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992 at \$25 per year, \$30 per year overseas. Individual issues available from 1988 on at \$6.25 each, \$7.50 each overseas.

ADDRESS ALL SUBSCRIPTION CORRESPONDENCE TO: 2600 Subscription Dept., P.O. Box 752, Middle Island, NY 11953-0752. FOR LETTERS AND ARTICLE SUBMISSIONS, WRITE TO: 2600 Editorial Dept., P.O. Box 99, Middle Island, NY 11953-0099. INTERNET ADDRESS: 2600@well.com.us

2600 Office Line: 516-751-2600, 2600 FAX Line: 516-751-2608

SEND YOUR PAYPHONE PHOTOS TO: 2600 PAYPHONES, PO BOX 59, MIDDLE ISLAND, NY 11953. DOES BHUAN HAVE PAYPHONES?

# Hacking at the End of the Universe

They did it again. For the second time, the backers of Holland have thrown a party second to none. It is estimated that up to a thousand hackers from around the globe descended upon a campsite near Amsterdam for three days where they did what has never been done before: merge high tech with the wilderness. Tents were set up throughout the site and an ethernet was established to keep the various computers inside the tents connected. This in turn was beamed into the Internet. Yes, it was possible to be hacked into the Internet from a laptop in a tent in the middle of nowhere. And it still is.

Hacking at the End of the Universe was organized by Hack-Tec, the Dutch hacker magazine. The spontaneous semi-anarchistic way in which everything fell together made many think of a Hacker Woodstock. It was an event a long time coming which the hacker world needed. And even though very few Americans attended, we can still benefit from what happened this summer.

Imagine a setting where paranoia is at a distance, questions are encouraged, and experimentation rewarded. This was the environment the Dutch hackers created. Forums on networks, phone phreaking, social engineering, and hacking techniques were attended by hundreds of enthusiastic people from a wide variety of backgrounds. This, despite the fact that Holland now has laws against computer hacking, proves that the hacker world has a very bright future.

Many times we were asked if such an event would succeed in America. And it became hard to stop thinking of reasons why it wouldn't. After all, we live in one of the most self-censoring, para-

noid, mass-media-patrolled societies ever to have existed - how could an event like this ever possibly work?

It can, and so can a lot of other things. The trick is to know what we want to accomplish and work together to achieve it. For instance, a large hacker event like the REU could easily be held in the United States next summer as part of 2600's tenth anniversary. (That's right, we've been doing this for a decade!) Instead of using a campsite, we could use a large warehouse in the middle of an easily accessible city. One section would be devoted to booking up a massive network that would tie into the Internet. Another area would be used for forums where all kinds of regies could be addressed by people from all over the world. A further section would be for displays and exhibitions. It would be a 24 hour operation lasting for a week and there would be enough space for people to sleep. Sounds like a fantasy? It is, make no mistake. But we always have the ability to turn our fantasies into reality. It involves working together and using as many community, government, agents, keep their connections as we can. This means finding a cheap building to rent for a couple of weeks, getting imaginative and enthusiastic hackers to wire the place, and encouraging as many interesting and diverse people as possible to show up. The result, if successful, will be a radical change in the way hackers are perceived.

We can initiate change and do things to technology that nobody has ever done before. Or we can just say we can.

This reality extends way beyond a single event. Hackers can lead the way to technological access. It is our goal to get an incredibly economical Internet and voice mail link up and running in the near future. If you have or know of equipment

that can be donated to this cause, please let us know. You could wind up changing history. And this is only the beginning.

We could, and should, focus on the negative. As we go to press, two of our friends, Acid Phreak and Scorpion, are being sent to prison. For what, nobody

really can say. They didn't steal anything, they didn't damage any systems, they were responsible and honest people. Their only crime seems to have been associating with people that were up to no good. But what's ironic is that the truly guilty parties struck a deal with the government and avoided prison by agreeing to testify against the others. This sort of thing happens far too often. It's very easy to intimidate people into pleading guilty when you tell them how much worse it will be if they plead innocent and somehow lose. In this case, the government managed to do this without ever accurately defining the crime! And so, two people lose a year of their life for absolutely nothing.

We should not forget the case of the student at the University of Texas at Houston who made the mistake of printing out the pass-word file of his school's computer system. Sounds evil, doesn't it? But consider that the password file is readily available to any user anyway and that the passwords are encrypted. But in this case, the passwords were shadowed, which meant they weren't even in the password file to begin with! All this list was without the student's computer system. Sounds evil, doesn't it? [AUG 480:608?]

There are a lot of powerful idiosyncrasies out there who want us to live within their close-minded and stagnant parameters. And a number of good people are being hurt because they question the logic. We cannot forget this. But dwelling upon it will only encourage us to come up with more reasons why we can't do all of the things we should be doing. When we drive away the fear and ignore the brain, dead bureaucrats, we stand a chance of actually getting somewhere. And whether it's the wilderness or a warehouse, we'll be the ones creating a network.

accessed a network without permission just to see if he could do it. He came close to being deported. Instead he was merely expelled from school.

And we certainly can't forget the noble efforts of the AIS BBS, a system operated by the Treasury Department's Bureau of Public Debt. (That's right, the same Treasury Department that oversees the Secret Service.) The system was the first ever operated by the government to allow free and open discussion of hacker issues between government officials, hackers, system administrators, and security experts. Hacker files and virus source code were available online for the purposes of discussion and not that constructive dialogue was taking place. That, coupled with pressure from clueless politicians like Congressman Edward Markey of Massachusetts, led to the effective closing down of this avenue of free speech. (For more news of Markey's anti-hacker hysteria, turn to page 14. And to see what's left of the AIS BBS, call (314) 480:608?)

There are a lot of powerful idiosyncrasies out there who want us to live within their close-minded and stagnant parameters. And a number of good people are being hurt because they question the logic. We cannot forget this. But dwelling upon it will only encourage us to come up with more reasons why we can't do all of the things we should be doing. When we drive away the fear and ignore the brain, dead bureaucrats, we stand a chance of actually getting somewhere. And whether it's the wilderness or a warehouse, we'll be the ones creating a network.

# The Wheel Cipher

by Peter Rabbit

April 13 marked the 250th anniversary of the birth of Thomas Jefferson, who is known to all of us as the Father of the Declaration of Independence, and who should also be rightly known as the Father of American Cryptography.

Jefferson's major contribution to Cryptography was his invention of the Wheel Cipher. This device consisted of up to 36 wooden wheels, resembling checker pieces, each with a hole in its center and a row of 26 letters of the alphabet around its periphery. The wheels were secured onto an iron rod, the common axis on which they turned. The Wheel Cipher worked as a moveable mixed alphabet table of 26 columns and a maximum of 36 rows; that is, each wheel was one row on the alphabet table. In action, the wheels were turned so that each adjacent wheel showed one letter of the plaintext message; when the plaintext was in place, the remaining 25 columns were available as ciphers, from

which any one column could be chosen. The recipient of the cipher, using an identical device, arranged the wheels in the same sequence, the plaintext cipher message sequence, the plaintext decipherment would then appear as one at the 25 remaining column.

A more detailed physical description of Jefferson's Wheel Cipher may be found in most books on cryptography, as well as in encyclopedias. There is no evidence that it was ever used by Jefferson himself, but it appeared in France many years later in a slightly different form.

And after World War I it was reinvented in the United States, where it was known as the M-94. In World War II the Germans produced the Enigma machine, similar in principle, which used electro-mechanical rotors (wheels) on each of which was a jumbled alphabet. In the same period the British invented a




FIGURE 2. Peter Rabbit's cipher disk.

Thomas Jefferson had an eclectic intellect; today he would be a hacker of admirable versatility. A recent study of Jefferson by Silvio A. Bedini, Thomas Jefferson, Statesman of Science (published in 1980 by Macmillan - this book is a treasure and I recommend it to all hackers), succinctly demonstrates this eclectic quality that characterized his mind. Bedini's illuminating discussion of the Wheel Cipher, for example, shows that Jefferson's inspiration may have come from a brass cylindrical word-combination lock made in France. Bedini also shows a cipher devised by Jefferson for use by the Lewis and Clark expedition. Figure 1 is a copy of this cipher. What is particularly interesting is that the table shown here contains not 26 but 27 characters, the 27th being an ampersand. Practically none of the existing writings on cryptography show this cipher, but I show it because it is interesting and because it does not limit the alphabet to 26 characters. Figure 2 shows the same cipher converted (for the first time, by Peter Rabbit) into a cipher disk, consisting in reality of a stationary outer disk and a movable inner disk printed on cardboard stock. An American Flag (lapel pin) (a patriotic relic of Desert Storm) serves to hold the two disks together. The disk is used as

FIGURE 1. Cipher devised by Jefferson for use by the Lewis and Clark expedition, to the Enigma, which they called the Type-X. The Japanese as well had a rotor machine, which the U.S. called by the name of Red. Moreover the Japanese had a famous machine, called Purple, which used stepping switches instead of rotors but accomplished essentially the same task as the Enigma. What is particularly interesting is that the table shown here contains not 26 but 27 characters, the 27th being an ampersand. Practically none of the existing writings on cryptography show this cipher, but I show it because it is interesting and because it does not limit the alphabet to 26 characters. Figure 2 shows the same cipher converted (for the first time, by Peter Rabbit) into a cipher disk, consisting in reality of a stationary outer disk and a movable inner disk printed on cardboard stock. An American Flag (lapel pin) (a patriotic relic of Desert Storm) serves to hold the two disks together. The disk is used as




FIGURE 3. Alberti's cipher disk.

Alberti's disk is shown in Figure 3. Shown at its upper right is an enlarged section, the bottom cell of which contains the symbol "Et", the Latin word for "and", which ultimately became the ampersand symbol. Since the alphabet was not yet fixed in the 15th century, it was possible for the "Et" symbol to become considered as another

letter of the key located on the inner disk - for example, "A" of the key-word "ANTIPODES". The plaintext, which in Jefferson's example is "The man whose mind on virtue bent," is located on the outer disk; "T", the first letter, is then enciphered as "U" and so on, as directed in Figure 1. Decipherment is the reverse of the same process. The cipher disk of Figure 2 is equivalent to the cipher table in Figure 1 and may be used in place of it.

What is particularly interesting about the ampersand in Figure 1 is this: it is found in a little-known cipher disk devised by a 15th-century Italian polymath named Leon Battista Alberti. Alberti's disk is shown in Figure 3. Shown at its upper right is an enlarged section, the bottom cell of which contains the symbol "Et", the Latin word for "and", which ultimately became the ampersand symbol. Since the alphabet was not yet fixed in the 15th century, it was possible for the "Et" symbol to become considered as another

# True Colors

by Billif

There still seems to be much confusion on the color-coding scheme of various "Toll Fraud Devices" (TFDs). The main-stream media has confused colors, made many up and most important of all, usually failed to properly describe their operation. (There have been many pages posted by "pilots" which might be considered the same kind of unscientific (?) disinformation the mainstream has put out for years. Many of the world's best pilotes are a generation younger than the "originals" and may simply not know the operation of legacy or even the color that was generally agreed upon for a particular device.

The real list of colors is quite short, and their operation may come as a surprise to many. To set the record straight, here they are:

**Black Box:**  
While in electronics, it refers to an often complicated subsystem that somebody else made and whose internal operation is of little concern to the system designer. To the phone, it is simply a means to reduce the loop current to the point where it operates the phone is back on the hook. The connection was made at the easiest cost. Many variations existed. In fact a field phone or old track jack with internal battery could be modified to bypass the loop currents, reducing greatly the chance of being caught! (This is the real "black box"). A resistor of a value between about 2.2k to 10k was placed in series with the phone loop. This resistor supplied enough current to power the role circuit of a semi-electronic phone. A capacitor of about 330pf or so was often placed in parallel with the resistor to control the increase of impedance caused by the resistor, resulting in increased audio level, in parallel also was a small logic switch, labeled "free" (open) and "normal" (closed). In practice this was all that was really needed! (To allow ordinary people like the parents of the students in a distant city to use it, since way to way calling was a small toll-free switch.)

When the "feature phones" were introduced in 1970, all this was replaced by a simple 2220Hz beeper. (The original internal tone generator device, a simple one-transistor LC oscillator, was based on the early DTMF generator, was housed in a pinkish red plastic case, probably (continued on page 32)

A	D	G	L	B	C
B	E	H	M	N	O
C	F	I	P	S	T
J	M	N	P	E	
K	N	Q	R	G	
L	O	R	S	J	
S	V	Y		R	
T	W	Z		H	
U	X			K	
V				F	

FIGURE 4a.

Pigeon cipher.

Returning now to Jefferson's Lewis and Clark cipher, one enciphers it using the pigeon cipher equivalents shown in Figure 4d. The alphabetical letters subscript the em-persand, which has now become one of the 27 digrammatic symbols.

L	B	C
A	N	O
N	S	T
X	P	E
D	U	G
I	Y	J
G	F	R
V	H	W
Z	K	F

FIGURE 4b.

Pigeon cipher.

Clare cipher, one deciphers it using the pigeon cipher equivalents shown in Figure 4d. The alphabetical letters subscript the em-persand, which has now become one of the 27 digrammatic symbols.

P	A	R	S	L	E	Y
H	I	S	6	3	2	7
A	B	C	D	E	F	
L	M	N	O	P	Q	R
S	T	U	V	W		
X	Y	Z				

FIGURE 4c.

Pigeon cipher.

alphabetic character. The fact that the source of the em-persand is so old shows once again the questioning eclecticism of Jefferson's mind.

Jefferson's Lewis and Clark cipher is

still useful today. To put it into operation one should first modify the inner disk in

Figure 2 to show a 27-character jumbled alphabet similar to the one Alberti used.

shown in Figure 3, that will reduce the obvious periodicity of the cipher.

Second, one should not use a short key that is repeated again and again, but rather a long key with no repetitions, a key that is as long as the message to be enciphered.

Finally, a Jeffersonian twist can be put on one of the favorite ciphers used by students both past and present: the pigeon cipher. The pigeon, traditionally has only 26 letters; however with the addition of an em-persand, it becomes a 27-character cipher. This is shown in Figure 4a. Next, the 27 characters can be jumbled with a key-word - for example, "PARSELEY" (see Figure 4c). Reading the now-jumbled alphabet as a columnar transposition from left to right, one gets the following:

L A M B N S C O T X O P U Y E Q U V Z F H K R W A

This alphabet is shown in Figure 4b.

(continued on page 32)

These still seems to be much confusion on the color-coding scheme of various "Toll Fraud Devices" (TFDs). The main-stream media has confused colors, made many up and most important of all, usually failed to properly describe their operation. (There have been many pages posted by "pilots" which might be considered the same kind of unscientific (?) disinformation the mainstream has put out for years. Many of the world's best pilotes are a generation younger than the "originals" and may simply not know the operation of legacy or even the color that was generally agreed upon for a particular device.

The real list of colors is quite short, and their operation may come as a surprise to many. To set the record straight, here they are:

**Red Box:**  
This is a device to simulate the coin signals of payphones in North America, in some parts of Australia, and perhaps a few other places. In other places details vary. From the following description of the North American system, Coors may also use this system, but it is unlikely. In the first practical payphones, a series of bell sounds were used. 50.05 was a single high pitched "ding", a dime 76c, and a quarter a lower pitched "ping" sound. In later models a contact暮 in the phone was switched in to allow the operator to hear the money pass through the phone. This system was much more secure than today! Clever tricks were however developed to hear it. A recording of the whole process, a toy telephone, and even bringing the phone in an adjacent booth were all used among others. Carefully scratching the outside of the phone with a coin or key made a very convincing "coin dropping through" sound. When the "feature phones" were introduced in 1970, all this was replaced by a simple 2220Hz beeper. (The original internal tone generator device, a simple one-transistor LC oscillator, was based on the early DTMF generator, was housed in a pinkish red plastic case, probably (continued on page 32)

placed to "normal" and back to "free". This would be long enough to trip the ring off, yet within the "quiet period" of the call's CTCSS billing system, then two to five seconds.

Operation of this was possible in North America because administrative billing requires a "pulse period". Older switches had the voice path present during the ringing, so the call would hear the "part ring" and finally North America had no timeout then on long distance calls! While possible on some older switches today, re-cread "pulse period" and ring times make it rather impractical. It is interesting to note that there was a time in the USA when no timeout then on long distance calls! While possible on some older switches calls, for obvious reasons, were one of the question"

These still seems to be much confusion on the color-coding scheme of various "Toll Fraud Devices" (TFDs). The main-stream media has confused colors, made many up and most important of all, usually failed to properly describe their operation. (There have been many pages posted by "pilots" which might be considered the same kind of unscientific (?) disinformation the mainstream has put out for years. Many of the world's best pilotes are a generation younger than the "originals" and may simply not know the operation of legacy or even the color that was generally agreed upon for a particular device.

The real list of colors is quite short, and their operation may come as a surprise to many. To set the record straight, here they are:

**Red Box:**  
This is a device to simulate the coin signals of payphones in North America, in some parts of Australia, and perhaps a few other places. In other places details vary. From the following description of the North American system, Coors may also use this system, but it is unlikely. In the first practical payphones, a series of bell sounds were used. 50.05 was a single high pitched "ding", a dime 76c, and a quarter a lower pitched "ping" sound. In later models a contact暮 in the phone was switched in to allow the operator to hear the money pass through the phone. This system was much more secure than today! Clever tricks were however developed to hear it. A recording of the whole process, a toy telephone, and even bringing the phone in an adjacent booth were all used among others. Carefully scratching the outside of the phone with a coin or key made a very convincing "coin dropping through" sound. When the "feature phones" were introduced in 1970, all this was replaced by a simple 2220Hz beeper. (The original internal tone generator device, a simple one-transistor LC oscillator, was based on the early DTMF generator, was housed in a pinkish red plastic case, probably (continued on page 32)

placed to "normal" and back to "free". This would be long enough to trip the ring off, yet within the "quiet period" of the call's CTCSS billing system, then two to five seconds.

Operation of this was possible in North America because administrative billing requires a "pulse period". Older switches had the voice path present during the ringing, so the call would hear the "part ring" and finally North America had no timeout then on long distance calls! While possible on some older switches calls, for obvious reasons, were one of the question"

These still seems to be much confusion on the color-coding scheme of various "Toll Fraud Devices" (TFDs). The main-stream media has confused colors, made many up and most important of all, usually failed to properly describe their operation. (There have been many pages posted by "pilots" which might be considered the same kind of unscientific (?) disinformation the mainstream has put out for years. Many of the world's best pilotes are a generation younger than the "originals" and may simply not know the operation of legacy or even the color that was generally agreed upon for a particular device.

The real list of colors is quite short, and their operation may come as a surprise to many. To set the record straight, here they are:

**Red Box:**  
This is a device to simulate the coin signals of payphones in North America, in some parts of Australia, and perhaps a few other places. In other places details vary. From the following description of the North American system, Coors may also use this system, but it is unlikely. In the first practical payphones, a series of bell sounds were used. 50.05 was a single high pitched "ding", a dime 76c, and a quarter a lower pitched "ping" sound. In later models a contact暮 in the phone was switched in to allow the operator to hear the money pass through the phone. This system was much more secure than today! Clever tricks were however developed to hear it. A recording of the whole process, a toy telephone, and even bringing the phone in an adjacent booth were all used among others. Carefully scratching the outside of the phone with a coin or key made a very convincing "coin dropping through" sound. When the "feature phones" were introduced in 1970, all this was replaced by a simple 2220Hz beeper. (The original internal tone generator device, a simple one-transistor LC oscillator, was based on the early DTMF generator, was housed in a pinkish red plastic case, probably (continued on page 32)

placed to "normal" and back to "free". This would be long enough to trip the ring off, yet within the "quiet period" of the call's CTCSS billing system, then two to five seconds.

Operation of this was possible in North America because administrative billing requires a "pulse period". Older switches had the voice path present during the ringing, so the call would hear the "part ring" and finally North America had no timeout then on long distance calls! While possible on some older switches calls, for obvious reasons, were one of the question"

beeps separated by 35-65 ms silence for a done, and five 35-40 ms with equal length separations for a quarter. Only the quarter signal is needed, as "some money" should be put in to activate the ground function - two 1k resistors to A and B, with the other sides connected to ground. Later a second tone, 1700Hz was added to allow automatic coin extraction (ACTS) and later still the option to change the second tone to 1500 Hz (IPTS) was added, but is rarely used. Selection of this tone can take place at coinbox collection intervals, alternated between 6.5536 MHz crystal, now very popular in the States, is anything but safe! Do not use!

**Yellow Box**

Earlier signaling systems use a continuous tone in either direction to indicate supervision states. Examples are R1, C5, and 1v2 systems. A trunk idle has the tone (2600 Hz in R1) coming from both ends of the circuit. Upon seeing the forward tone is removed and the backward tone is removed briefly and put back on to acknowledge. This tone then remains on until the called phone is answered. R1 means it is referred to as "supervision on" or just "uped". The tone is put back on (in the proper direction) when either end hangs up. The one that stays on bears a very short beep ("click") since a filter cuts it in a matter of a few milliseconds, so a disturbing load, high pitched tone is not heard by the customer. A "yellow box" simply generates the tone (2600 for R1) and provides filter so the user (the person receiving the call) does not hear the tone. Operator is identical to the "black box", except a tone is used instead of dropping the loop current. Advantages of this are DC parameters of the subscriber loop are normal and it works on modern exchanges and P2Xes! Use today is limited for the same reasons of the "black box", and also because most of today's signaling systems don't use this method. This same device was sometimes used to "ring a trunk" and intercept other people's calls. The victim was at the mercy of the phreak as far as billing went. He could talk to law offices with the tone on, or if the person got fully take the tone off and charge him for the call. Of course the caller was billed for the

number dialed (not the phreak's number)! Push off the calling card validation system and operator and get your call through! The best right time to make this one second signal is unexpected. Calls and some payphones in countries outside Australia 2000 use may use "clicks". This is the CS version. An 800 ms burst of 2400Hz means supervision on and an 800 ms burst of 2000 means hang-up. Playing 2500 Hz while picking up the phone in an international call, will in effect, produce the same result of the black box! Since the tone (not at all critical) no filter is needed and anybody can quickly learn how to "whistle it"! The CS in France, variation is the usual 2000 example and this is by far the simplest TFD! Calls placed from the USA on C5 circuits (say 80 percent of all T1D2 circuits) will still work for at least a three and a half minute char (assuming cooperation of the called party) and some will allow you much longer to unlimited time. Calls from countries where there is no "gate passed" (as to message unit billing) will not work and the called will sleep on running! Again, as with the "black box", operator assistance is out of the question!

**Green Box**

This is indicated by the "blue box" for modern systems. These are the signals the ACTS or operator uses to control a coin phone, which either end hangs up. The one that stays on and almost none do today! Earlier systems used the "blue" (all progress) frequencies: 350, 420, 480, and 620 Hz for this purpose. This system varies from location to location in North America, so, if in numbering zone one, have someone call long distance from a payphone (from a real payphone, not a copy) and put in at least one real coin. You then play long burst of each of the 15 tones. At some point the coin will be returned or selected. Take note of the digit. Have the caller call again and continue on to find the other signal. In some (many) cases the coin can only be returned when the ACTS machine connects on to "barker" overdrive. You just have to beat it out by putting your coin signal in before it sends the collect signal! Note, in some cases this system includes IPTS control, where available. Also note for the calls: the code 15 ("81", 1500-1700 Hz) signal does interesting things! It can push off the ACTS machine and get your call through

\*Blue "coin deposit" (and not return) and push off the calling card validation system and operator and get your call through! The world. Some old P2Xes also use this for "clicks" (baked line) working.

There are a few boxes the young generation is impressed. Colorx and some payphones in countries outside Australia 2000 use may use "clicks". This is the CS version. An 800 ms burst of 2400Hz means supervision on and an 800 ms burst of 2000 means hang-up. Playing 2500 Hz while picking up the phone in an international call, will in effect, produce the same result of the black box! Since the tone (not at all critical) no filter is needed and anybody can quickly learn how to "whistle it"! The CS in France, variation is the usual 2000 example and this is by far the simplest TFD! Calls placed from the USA on C5 circuits (say 80 percent of all T1D2 circuits) will still work for at least a three and a half minute char (assuming cooperation of the called party) and some will allow you much longer to unlimited time. Calls from countries where there is no "gate passed" (as to message unit billing) will not work and the called will sleep on running! Again, as with the "black box", operator assistance is out of the question!

**Blue Box**

Also "phreaking in the here and now". This is perhaps hacking's trickiest art today! A blue box is any device that produces two-line multi-frequency signals other than customer

**Blue Box**

is perhaps hacking's trickiest art today! A blue

box is any device that produces two-line

multi-frequency signals other than customer

driving signals. NTC (C5 and R1, for example) and R2 forward set blue box "address signals". In hand supervisory signals ("click mode") are probably included and are often, but not always, needed. Information on international and university technical libraries. Full details on this device are far beyond the scope of this article.

**Silver Box**

The predecessor to the blue box. For

signaling systems C2, C1, and 1v1 and 2v1

systems, etc. Early versions were a single tone

oscillator (C5, 1v2) and a salvaged relay

telephone coil. It was possible just after the war

first in Sweden, and later throughout Europe

and then in the rest of the world. There are

coinciding reasons that phreaking got its start in

Sweden in the fifties with this kind of box that

used a vacuum tube! A slight variation for

2v1 and 1v2 required switching a resistor or a

resistor for frequency shift/pulse dialing. C4

and some additional 2v1 used a binary coded

signal for better working. A somewhat different

switching and tuning method was required,

which could be mechanical, electron-mechanical,

or electronic on both the pair of the operating

company and local phone. C4 required the

threads used them! These old systems are still

used in un-developed and/or remote areas of

the world. Some old P2Xes also use this for

"clicks" (baked line) working.

There are a few boxes the young generation is impressed. Colorx and some payphones in countries outside Australia 2000 use may use "clicks". This is the CS version. An 800 ms burst of 2400Hz means supervision on and an 800 ms burst of 2000 means hang-up. Playing 2500 Hz while picking up the phone in an international call, will in effect, produce the same result of the black box! Since the tone (not at all critical) no filter is needed and anybody can quickly learn how to "whistle it"! The CS in France, variation is the usual 2000 example and this is by far the simplest TFD! Calls placed from the USA on C5 circuits (say 80 percent of all T1D2 circuits) will still work for at least a three and a half minute char (assuming cooperation of the called party) and some will allow you much longer to unlimited time. Calls from countries where there is no "gate passed" (as to message unit billing) will not work and the called will sleep on running! Again, as with the "black box", operator assistance is out of the question!

**Silver Box (C)**

This is just a 16 button DTMF dialer and push off to do with the first real phreak toy! Damon Blaauw. One final note: I've seen

people who have referred these control boxes

on their answering machine (G3/M) to give

callers their coin back and allow message

recording at no cost! The above information is spreading in the box and now!

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

The predecessor to the blue box. For signaling systems C2, C1, and 1v1 and 2v1 systems, etc. Early versions were a single tone oscillator (C5, 1v2) and a salvaged relay telephone coil. It was possible just after the war first in Sweden, and later throughout Europe and then in the rest of the world. There are coinciding reasons that phreaking got its start in Sweden in the fifties with this kind of box that used a vacuum tube! A slight variation for 2v1 and 1v2 required switching a resistor or a resistor for frequency shift/pulse dialing. C4 and some additional 2v1 used a binary coded signal for better working. A somewhat different switching and tuning method was required, which could be mechanical, electron-mechanical, or electronic on both the pair of the operating company and local phone. C4 required the threads used them! These old systems are still used in un-developed and/or remote areas of the world. Some old P2Xes also use this for "clicks" (baked line) working.

There are a few boxes the young generation is impressed. Colorx and some payphones in countries outside Australia 2000 use may use "clicks". This is the CS version. An 800 ms burst of 2400Hz means supervision on and an 800 ms burst of 2000 means hang-up. Playing 2500 Hz while picking up the phone in an international call, will in effect, produce the same result of the black box! Since the tone (not at all critical) no filter is needed and anybody can quickly learn how to "whistle it"! The CS in France, variation is the usual 2000 example and this is by far the simplest TFD! Calls placed from the USA on C5 circuits (say 80 percent of all T1D2 circuits) will still work for at least a three and a half minute char (assuming cooperation of the called party) and some will allow you much longer to unlimited time. Calls from countries where there is no "gate passed" (as to message unit billing) will not work and the called will sleep on running! Again, as with the "black box", operator assistance is out of the question!

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!

that could be called beige.

**Rainbow Box**

(Known in the old timer as the mythical

"Rainbow Warbler") As the name implies, it is

capable of doing it all in theintosh area! Can

be implemented properly by the use of a

modern TSSP (modem) like the Zyxel and

proper software. Can also be properly

implemented in a digital music synthesizer like

the Yamaha DX series. Desktop computers and

most "stand cards" can only do a hot rea

ceiving job. All this is just theoretical

possibility for thought. The first and still only

true "rainbow box" is the Hack-It

Technologies "Deman Dealer".

**White Box**

Just a 12 key dialer box, available

everywhere.

**Beige Box**

Nothing more than a Unisys's test set. The

original Bell System standard issue was a color

box, nothing to do with the first real phreak toy!



## Congress Takes A Holiday

New literature on natural hazards often uses a single river model.

# UNIX Job Openings

by Orb

Hacking a UNIX machine comes in more flavors than merely grabbing a copy of *getpasswd* and staring against it. You can get a variety of accounts this way, but a well-chosen password can evade even some of the most thorough tests. So - how do you get to the other parts of the system?

One interesting trick is the infamous trojan horse. The heart of the trojan horse lies in getting someone to execute code written by you. In this case, the code will be the minimal routines required to give you access to the account of the person executing the code. The following is an example of one such program for UNIX.

```
— shell script
echo 'mail$(system)"sh"!>test.c
filename=$0 whoami
ee "$filename test.c
rm test.c
chmod 6777 $filename
— end shell script
```

Whenever you execute a program, the program is run with the user ID (UID) of the person executing the program. UNIX also provides a method of having the program be executed with the UID of the user executing (the parent process), but by the owner of the file itself. This is accomplished by setting what is called the set-user-id bit (SUID bit).

The above code exploits this in UNIX. First, we create a simple C program which calls the UNIX shell, sh. This is stored in the file test.c. Then we compile the test.c file into a file named by the form .gXXX where XXX is set to be the username of the person who ran our nice little program. (The C file is then discarded.) So far what we have is an executable file which calls a UNIX shell. Nothing special - yet. But, what if we set the SUID bit of the program we created to that of the person running the program? Ah! By using the UNIX chmod program, we set the SUID bit on the

program. Now, if we were to happen to

come along and execute this program, we would be running a shell - but we

would be running with our effective user id set to that of the person who ran our silly little script. In essence, you become this person.

What can you do from here? Well,

perhaps you want to install a better backdoor into this account. Ms. Manners says that leaving lots of little SUID programs lying around is not good etiquette. How exactly you go about this is a much larger topic, but use your imagination.

There are many variations to this theme. Perhaps you want to have this file moved to some preselected directory so the person who created this file doesn't notice it. Maybe you want to send a mail message somewhere or

signal a process already running so you will know that someone just fell into your trap. Again, use your imagination. All this is very interesting, but unless you can actually get someone to execute your code it doesn't exactly do you much good. The first place to look is in the resources you have. Suppose a password scan of the machine gives you the account of a person who is running file or some other program which many users link to. You could simply just replace this program by your program but it would be a bit obvious even to the typical clueless PC user that something is wrong. So, you either should modify the program that everyone links to in order to do some version of the above, or call the real program after it does its task. Perhaps some other users on the system have linked to your files without asking. Well, it serves them right if you slip in something that just happens to give you access to their account. You never made any guarantees about what is in your directory did you?

This leads into another way of slipping these in - just put them in some

public place in your directory with a name that might cause someone to execute it. Perhaps you want to exploit the possibility of a bad SPATH variable. Might as well put it in a file called 'ig' while you are at it. Yes, some people still don't have their path set up good, a sort of files are commonly executed by prying eyes. Put one in any directory that has a silly little script. In essence, you become this person.

What can you do from here? Well, perhaps you want to install a better backdoor into this account. Ms. Manners says that leaving lots of little SUID programs lying around. Some minded users occasionally slip up and run things they didn't mean to. There are a few problems though. First, I would suggest rewriting the above script in C and creating a binary

## HAVING TROUBLE FINDING US?

As most non-subscribers know, it can be next to impossible to find 2600 in your local neighborhood bookstore. But it's not as hard as you think. If you're in a place that you think we deserve to be in, all you have to do is:

- 1) Ask an employee if they carry 2600. They might be sold out or they may have hidden us in a "special" section. Some stores like to stock us behind other magazines, presumably so that they always know where we are.
- 2) Give them our telephone number. Tell them they should call us so we can hook them up. Say that you'd be awfully disappointed if they were to forget to do this. Appear imposing and capable of causing significant mayhem.
- 3) Give us their address and phone number. This will give us the opportunity to lean on them ourselves and get real friendly-like until we lose patience.
- 4) Give up and subscribe.

2600  
PO Box 752  
Middle Island, NY 11953  
(516) 751-2600

file. People usually will look at scripts before they run them, but won't bother to examine an executable file.

Also, try to avoid anything that could be linked to you. A cautious user might trace the execution of the program he is executing and realize what you did.

Basically, just be careful. There is no need to go overboard. Don't flood your system with trojan horses. Like all other forms of hacking you need a bit of patience. sooner or later people will fall into just about any trap you set.

Be very careful about leaving SUID programs lying around. Some

systems

regularly scan their systems for them, so you need to think up other types of backdoors if you intend to keep access to an account for any period of time.

# meeting mania

Here's the latest in the ongoing Portlaoise City Hall/Secret Service scandal that involved attendees of the Washington DC 2600 meeting in November 1992:

The Secret Service has admitted possessing six previously unacknowledged documents relating to the breakup of the meeting. In conjunction with that admission, the agency filed an affidavit which provides the most information received so far as to just what was going on.

According to the affidavit, "The Secret Service received information from a business indicating that that business had been provided the agency manipulated and that the business provided the agency with 'certain information concerning the individual(s) who had entered the system: Computer Professionals for Social Responsibility, the Washington-based organization that has been relentlessly filing Freedom of Information Act requests since this so-called affair' - started, translated the available data into the following possible scenario: 1) the 'victim business' had some reason to believe that the individual involved had some relationship to 2600; 2) the business passed this information on to the Secret Service; 3) the Secret Service knew that people associated with 2600 met at the mall on a regular basis; and 4) the Secret Service recruited the mall security personnel to identify the individuals attending the monthly meetings.

Also of interest is the admission by the Secret Service that "the records which are

an issue in this case were provided to the Secret Service by a confidential source and were compiled by the Secret Service..."

Towards the end of the summer, the Secret Service took the unusual step of filing an "in camera" deposition. The contents of this deposition are sealed and the only information we've been able to glean from it is that it's at least 56 paragraphs long. CPSR is filing papers to reveal the contents of this deposition. Its existence is considered highly unusual in FOIA cases, but fairly standard in cases of national security. The first trick is:

**More Meeting Fun**  
2600 meetings continue to spring up around the planet. There are almost always strange people watching the hackers but in most cases, nothing comes of it. At the July Seattle meeting, however, security guards at the Convention Center and Seattle police officers harassed

the individuals who had entered the system. Computer Professionals for Social Responsibility, the Washington-based organization that has been relentlessly filing Freedom of Information Act requests since this so-called affair - started, translated the available data into the following possible scenario: 1) the 'victim business' had some reason to believe that the individual involved had some relationship to 2600; 2) the business passed this information on to the Secret Service; 3) the Secret Service knew that people associated with 2600 met at the mall on a regular basis; and 4) the Secret Service recruited the mall security personnel to identify the individuals attending the monthly meetings.

Also of interest is the admission by the

Secret Service that "the records which are

# never enough the past

LOD Communications Underground Hack/Phreak BBS Message Base Project

603 W. 13th, Suite 1A-279

Austin, TX 78701

512-449-5088

lodcom@midway.phantom.com  
\$39 on disk, \$17 on paper

Review by Emmanuel Goldstein

It's not at all uncommon for hackers to make history. What is unusual is for this fact to be recognized. The LOD Communications Underground BBS Message Base Project takes an anthropological voyage into the origins of the hacker world by recording in the form

of printouts and disk surface boards that have long ago ceased to exist.

"How much did they know, and how did they find it out?" reads a portion of LODCOM's promotional material. Were these hackers "out to start World War III, selling secrets to the Soviets, working with organized crime, compiling to do evil or just a bunch of bored teenagers with nothing better to do?" Primary evidence of this sort is as close as you can get to the July Seattle meeting.

But is this the sort of thing that people really care about? Undoubtedly, many will shrug it off as useless, boring conversations between unsophisticated teenagers that have absolutely no relevance to anything in the real world. The fact remains, however, that this is history. This is our history, or at least, a small part of it. The boards included in this project - Silverwood Forest I and II, Metal Sheep Private, OSUNY, Phoenix Project, and a host of others - are among the more interesting hacker boards, with some classic distinction and a gang of hacker stars-to-be. Nearly all of these boards were raided at one time or another, which makes it all even more fascinating.

Sometimes the funniest people show up. In one city, an intoxicated FBI employee came by and said he was going to bomb all of the hackers' computers by using the system batteries. Among his other memorable quotes was, "We didn't have time for this kind of stuff in Vietnam."

Obviously, the messages and files had to be pried from disks of obsolete computers or had to be entirely retrieved from hard drives. According to LODCOM, "every effort was made to keep the messages in their pristine condition: 40 columns, all caps, spelling errors, offensive language, and inaccuracies of various kinds."

Each of the Message bases is accompanied by a message base file that explains hacker BBS terminology and describes the BBS. This is in addition to the actual message base, "G-files" or hacking tutorials, and userlists when available.

Volume 1 of this collector set is already complete and Volume 2 is expected to be finished by the end of September.

LODCOM expects a total of three or four volumes with the whole project being complete by the end of the year. It is estimated that the total number of messages will exceed 15,000. All volumes will be sent to anyone who orders the first one. Because of the massive amount of data, the files will be compressed. For \$5 extra, you can get an un压缩ed

version. Formats supported are IBM (5.25 or 3.5 inch), Amiga (3.5 inch), and Macintosh (3.5 inch).

The project is still looking for more hacker boards (non-comer, non-commercial) were online before 1990. They are particularly interested in recompiling Modern Over Manhattan (MoM) and BBS.

Two of the earliest boards, dating back to 1979, interested parties can contact them at the above addresses.

Had the LODCOM project not come along when it did, a great many of these message bases probably would have been lost forever. Providing this service to both the hacking community and those interested in it is a noble cause that is well worth the price. If I suspect, some valuable hacking data will be preserved for future generations.

# HOW TO HACK HONESTY

by U.R. Scaree

## Introduction

Written honesty and integrity tests are easy to beat. Once you understand the underlying principles, the manner in which the tests are constructed, and the kind of test necessary to undergo the test. You can beat the test.

There are two kinds of honesty and integrity tests to do the market. The two major honesty and integrity test publishers are Rand and London House. Some tests are comprised of trickster or yes/no questions, while others will give you a number of answers from which to choose or not. How strongly you agree or disagree with a statement. Some of the test publishers are up front and honest their tests for what they are using such terms as "honesty" and "transparency" in the test code. Other test publishers hide the purpose of the test behind phrases such as "Inventive", "Predict", or "Survey". Regardless of whether the publishers of these tests reveal the purpose of the test, in most cases, other publishers hide the purpose of the test in all probability a random, hasty or hasty test. A review of the test questions will reveal the purpose behind any written honesty test. If you are given a test while applying for employment and you see questions that deal with attitudes about their or your past conduct in regards to theft, drug use, etc., then it is, in all probability, a written honesty or integrity test. This is true regardless of what the test administrator states is the purpose of the test. You may hear that the test is to give them insight into their general attitudes, or you may hear that it is used to see if you are willing to be truthful. Parece what the administrator says about the purpose of the test. If this is it, it is written honesty or integrity test of the majority of test questions deal with theft, substance abuse, illegal acts, and so forth. The real purpose of the test is to screen out individuals who make the wrong kind of admissions. You will be told if you are to trick or fool the test, your efforts will be discovered. You are about to learn how to retain from being one of those unfortunate people who think these tests, because you are about to learn the inside tricks you need to beat the test and not discovered.

## The Types of Questions

Written honesty and integrity tests are generally composed of three types of questions:

1) Written Questions. Right do not enter into the honesty score, but we need to make sure that you can comprehend the test and not paying attention.

2) Correct Questions, which are generally used to check if you are trying to take the test.

3) The honest scale questions see what we are going to call "The Questions", which items together

give an honesty score. For you to beat the written honesty tests, you need to be able to rapidly identify

which

and the

and the</

Bill the Shusher. We agreed that with the *Country Questions*, both of them we would answer the same questions. So, as to *The Questions*, Mother Teresa is going to say, "No, I have never spoken from my wisdom. That is all I have to say." On these questions, your answer should be as brief as possible.

When you read a question that asks, "How many people you know are think sick, lie, cheat, violate the law, use or use drugs, remember Mother Teresa and Bishop Shanahan are not going to answer these types of questions with the same answer. As an example, the Bishop thinks many people have never taken charge from the work, even if it was just to get something to drink." The Center Mind Set answer is, "No, you do not know people who think you have never really even spent any time thinking about anything, cheating, not on purpose to cheat, and would ever tell you they had nothing to say."

This brings up another topic. Any time you ask the words "What?" or "Remember" as a written question, test, replace them in your own mind with "What?", because this is what the test publishers actually asking.

**The Questions: What You Will See**

And What You Will Answer

You will, in all probability, be asked questions as to what should happen to some individual who is caught stealing or breaking statute or merchandise. In general, the main point you must answer is, the better you can answer well, the more of the questions you may see in ridiculous. An example, you may see a hypothetical situation where a 25 year-old employee is found breaking into stores, which he steals, he is arrested in regards to. You would then be asked what should be done with this individual. You may be given answers that range from "He should be told never to do it again" to "He should be fired and the police should be called". The answer that logically gives you the most points is the answer closest to "Tell the S.O. to sit and call the police". The underlining answer is the more previous you are the less of a theft risk you are.

There is a theory that people tend to answer to their thinking, however also may have more of a tendency to engage in deviance in the workplace, whether or not you and I agree with this theory does not matter. What matters is that some test publishers subscribe to this theory. So when you see a question that asks you if you like to do your fisheye, whether a belches or the like, read it down the line and say no. If they ask you if you ever break drunk, just say no. Do you like to do things on a diet? No. "Do you like to just take off without any planning and do your own thing" or whatever?" No."

You will see questions which ask that you are "more

people you know or don't, like, like, violent, right now, maybe you had a question like that, like, right now, maybe I'm, or, like, drugs, remember, Shocker, Teresa and Bill, for Shocker, so, and, going to answer those types of questions with the same answer. As an example, "Do you think many people have ever taken drugs from people who steal, you know, really? And, speak, you know, like, thinking about anybody stealing, and no consequences, like, right, and, would ever tell you they had, stolen, anything?"

This brings up another topic. Any time you see the words "stolen" or "theft" used as a written literary test, replace them in your own mind with "robbed", because that is what the test publishers usually ask.

The Question: What can I do?

are confronted with a job or could pull a switch, so to speak, in their favor, employees like yourself who follow the rules and practice what do well enough, but who have been very generally along for the ride (for as long as say they do), you may see situations that make it possible to break those rules and still be an excellent employee. This is not a bad idea.

Similarly, are you experiencing any new or recent problems which most people experience before and after major life occasions? These questions are based on 14

prescription until you think most Right is it. You see doing it too or you would like to hang around people who break the rules. Remember the Current

*Our culture is test crazy.*

*Many of us have bought*

fast when it has some power.

test them, it has some power to "look inside our heads."

What say ye to believe in the Devil, who try to obstruct us? You never tried such things, which should

breaking rules, and you do not hang around with nice  
people. On those rare occasions you did meet a nice

66. **How often** does **you** - night?

frequently have headaches. They may ask if you have experienced difficulties with bosses or co-workers. These type of questions rest on the theory that if you

have a lot of symptoms of anxiety, and you may be more prone to being a bad employee. These type of

problems, which center on physical or emotional health, are less in favor with A.D.A. (Americans with Disabilities Act) now in force. But, it's nice to see that.

remember you are a calm individual who is free of any reason to have writer's or anxiety and the *Deutsche Presse-Agentur* says, "I do not believe whether

Your unemployment ran out, your wife left you and your dog died. It makes not matter whether you have any place to live or not, you are still a pauper.

steps even in a year and need to drink a bottle of beer stuff a day to keep your stomach in line. The best sailing in front of you we'll not know unless you answer

The incorrect way: Only you know. And you know what they are looking for right?

WILL you let me know ever been compelled to do something. Once again the thanks may come here.

"You may start to think we have everything has gotten  
small and been replaced to do that." Before you answer  
these questions, plug them by Fletcher Tamm and Bill

the Shale. Some of these questions may be Content and most will be The Questions. If the questions **REGIME PRACTICE** have been removed to steal **break rules**

analyze the long-term change in smoking behavior, then

your answers should be no. However, if the questions become king, tempted to get more, lose your school or the like, then I think Fletcher Tenney and Billie Shuster would both answer yes. Question 10, "Have you ever been tempted to lose your temper?" is correct. On the General Questions, one should always, have been tempted, sooner or more recently, lose my temper. But on The Questions, one tends to admit it - no. I have never been tempted to steal, questions 11 to 15, "Did you ever tell a lie, and then plan to get even?" This is one of The Questions because it's impossible really to. The reason is that you are trying to figure out how to knock the lie out of some number without getting into hot water. That answer is not "yes" because the correct answer was, "we do not tell lies, we tell the truth, we tell the truth, about breaking the law, breaking rules, or trying to do people harm, or if some jerk just pisses the hell out of us."

Question 16 will be present on "The" which basically ask "You took hard, but are you going to win?" which you are doing wrong or have simply done a good job. The theory here is that if you are hard on yourself, then you will humble those by the stronger and more numerous questions. You will also ask "superior" questions of who should be done to you. If you did something wrong, then you should be harder on yourself and impugn others to be punitive. If you are not sure, believe others should be. And conversely, if the theory is of you believe that you should be, or some such, then you believe others should be as well.

You may ask questions that ask whether a person should be, and some, sick, because of their circumstances in life. An example might be "Do you believe that a person's addition to a drug should be taken into account when they are sentenced for 'smuggling'?" The correct *black box* answer to all these types of questions is that the circumstances do not matter (i.e., bring them high). Other questions of this type will involve a long-term employee, a young person, a person who has never done anything wrong before, and so forth. Set your sympathetic skin behind because for the purposes of asking this test it is the little damos looking to you. The theory here, in part, is that if you think that circumstances matter, you might be more able to criticize a wrongful act.

You will absolutely ask questions like "Do you feel most people cheat a little on their taxes?", "Do you believe most people have thought about involving a friend?", "Do you feel most people have treated me unfairly?", "Do you feel most people would do things without permission if there was no chance?"

they will go in there. For people who do well, on written honesty tests, believe in the rules and try to say they do, and they believe the test reflects all people believed in and generally obey rules. So when we ask the correct answers... does that mean that they are breaking rules? No, there something illegal, something unethical. No. Remember, you do not sit around reading the statistics published by the Department of Justice. The Counter-Intelligence is very simply know that you do not do those things, you do not break any rules that they take and bring these things, and so you must present these things, and just say generally that.

Finally, there are what we will call the dual aspects we do it questions. These questions center on perceived or outside factors. Based on those people do bad deeds or do not do bad deeds. Fair enough.

Do you believe in the following statement or do you disbelieve?

2) Is the largest reason people do not steal because of the law or trying to fit in?

3) Would you tell management it was legalized?

There are many questions now that you have the initial set down for. People will do well on first tests do not have reliable scores for these items. Take as actions people do not - no way. I am honest and so everybody hangs with. And also because of job people can't steal because stealing is wrong. Try manipulation - sources like task 200-6, so what's the answer? Just say no.

### Those After The Test Interviews

After you take a written honesty test, some employees follow up with an interview. You may find some of the questions very leading. "Mary, I see here that you have never stolen anything from an employee. Does that mean next week is when? Or you may hear "Dad, most people out there have lied recently, never the best about. Do you mean you never smoked marijuana?" Remember the Counter-Intelligence. "No, I am not a thief. I do not steal from work." "No, I never smoked marijuana and never intend to try it." If you are the lead and you wanted to change your answers, you will know it. If you say "Well, yes, I guess I tried marijuana, but I don't really smoke it," does the next question you ask, "Hearin' you been see the last time?" Or worse yet, "Do you have any problem with taking a drug test?" Deny the little demon the option of destroying your chance at the job. If you wish to do that, do it at the time.

Conclusion



## Locked Out

Dear 2600:

Help! I have several WebPages: 5.1 files which have been password protected by an ex-employee. Can you tell me the same and contact address and/or phone number of the developers of the packages which will defeat the password on Web5.1?

Look on page 51.

## New Long Distance Services

Dear 2600:

All of us at 800 Numbers America would like to express our gratitude for your reading our "Track Stop Flyer" in a recent issue. It may interest you that from what we could ascertain, most of your readers are not tracksters. But rather a group of individuals recognizable by highly estimable, many of whom are in business in the industry. Some of those who called business customers, so again, we are grateful.

Some things you should know about us. First off, the flyer you received was a rather old one from mid-1991. Our current 800 service rates have changed, but our per minute rates are even lower in Illinois and Wisconsin. We hope to be able to offer these rates elsewhere. Thanks to 800 potential, we'll be able to switch rates to all of our customers or a better rate without changing their 800 numbers. We also have a new number, 1-800-229-3236.

800 Numbers America also offers SURVEYOR FAX Calling Cards. Many people have asked for this calling card on the market. We offer one of those rates, and it's great, especially for those who don't have a toll-free telephone number. In addition, we have a SURVEYOR FAX Card that's a credit calling card. This is a card designed for the serious surveyor calling card user. There's a \$1.00 flat monthly fee and all domestic calls are 15 cents per minute. Other than the difference in rate structure, this card is in essence a Speed calling card.

We also are agents for Cellular and Bell 150 cellular systems in cities across the country. And we have good toll 1 long distance rates, we know, so does everyone else. But our specialty is in expert long distance, alarm, alarm, especially Wisconsin. We also offer certain international calling packages. We can beat someone's current rate about half the time, but again it's a toll 1 long distance.

Bill Bassett  
Director of Marketing  
800 Numbers America  
Dear 2600:

In response to the letter in page 26 of the Spring 1993 issue regarding inexpensive, scratch-free, long-distance calls, please be advised that this is here now.

We can offer a card which allows the above or rates lower than 21 per minute, and as low as 18 with no surcharge. The trick, of course, is to pay for your

VOIP, MCN, or personal check, the same thing you do for your local phone company.

This week, and is simple and quick. Free. Send inquiries to: TIA, P.O. Box 5701, Mandeville, LA 70470. Phone: (504) 521-0873, fax: (504) 545-2085.

Deborah Systems of America  
New Orleans  
TX

The designer, our reader, is my other company

and will report back to us.

Dear 2600:

I would like to know if there is any JES or network delivered in the area of circuit or switching, or the switched New World Order (SWO), which seems to come from a weird combination of the Federal Communications Council for Foreign Relations, State and Board, Environmental Protection Agency, Club of Rome, Biltmoreers, Socialist International, the Eastern Establishment, and a few others.

To give one mitigate example of how environmentalists (and others) are being involved in charge of people, I quote from the document "A

Paradigm for Space Settlement" (by Scott G. Beale, 1980), seems to be a "Comprehensive account".

Network (Bell BBS, (403) 462-8346, based in one of the major Tel Organizations, as Organization A, CITA's (Central Engineering and Design Association). It discusses what sort of specifications should have engineers dedicated to create sociological systems and other supporting ecosystems for humans to live on the Moon and planets. He discusses the roles of ecological

engineers, social engineers, sociobiological engineers and "... behavioral engineers (who) would oversee the sociological and educational (self) children. They would be recommended and oversee the implementation of policies designed to keep the use of deviant behavior

at or below politically acceptable levels, and they would oversee behavior modification programs if serious patterns of deviance develop."

This excerpt has not been taken out of Dowell's 1984, but it certainly could have been. To get back to my original question, is there any PES dedicated to doing like that? Is someone interested in creating a PES or network to support this sort of thing?

Keep up the good work while the present day social engineers don't find an excuse to save you.

John

Almost Anonymous

We're not worried. After all, we're just a few social engineers of our own.... We're sure what you're thinking above is in a derogatory or the internet. After all, everyone else is. If you don't have access, you need to get by any means necessary.

## LOS Angeles' Numbers

Dear 2600:

The following ANACs have worked for me: a 5102350 long codes. Not all work in all areas or at

all areas. You may find that a code works one day and not the next - but one of these should always work.

610, 212345, 1335, 114, 1221, 211, 597.

Red Winked

A question is an older issue from standards in the South Bay. Los Angeles area (LAE) was "what are those four quick codes I hear when I dial my own number?" LAE's lived in a GTE area for some time (one of the last to be converted over to electronic switching). I found that when I dialed my own number (LA) area two numbers, then hung up, then dialed the LAE area, my own number, my own number and hung up during the tones, my phone would So the ring back for the GTE, which in the Long Beach (505) area is your own number, then hang up, then you hear the intermediate ANAC was 114. Also, mess around with LAE numbers, and seem to remember these did unusual things sometimes and were disabled at other times. The first I try is 116, as this is the "reverse" of dialing 611, which was the repair service number there.

By the way - with the old stretch, ringback numbers were 113900, where LAE's, The "1" (11) worked the best, and 8, because if you hooked up a bipolar LED to the phone line, you could see different ringbacks for different values of 8. Some of them would reverse polarity, some would reverse polarity, but would ring twice by using a higher voltage (hence a bright green/green LED, which would give half the ringing voltage and cause the bell clacker to just vibrate without striking the bell, or maybe the voltage was the same, but the frequency was double so the clacker didn't have enough time to strike the bell?), and any other flashes "n" was where the clacker would strike the bell just one time during the ringing cycle, making my phone sound like those phones in payphone restaurants. One irritating thing about these old test numbers was dialing them from a PBX. Dial 9 to get a local line out, then 11... except! Police, do you have an emergency?"

Now I live in The NPA, Pacific Bell 1 have found a ringback yet, but ANAC is 211. I haven't found a ringback yet, but ANAC is 211. I know, but may have been Silesia, Romania. I don't know, when she finished, I got local helping tones like you get when you have the number off hook, not long.

I called directory assistance in the area to get the main numbers for the agency and tried them with the same result. It would have acted there, except it seemed to me that they may think calls from Alaska to Thysia are foreign, or something, and it looked like my call was coming from inside the U.S., Long Beach.

So I tried a calling card I had, which 250 correct

numbers that answer as "DSAC", or something similar sounding. I asked her for some test local numbers for this area, and she listed around 100 of them. She gave me ten for the 714, 211, and 813 ANACs, however none of them worked.

My agency would have it, it surprises me a little, but not much, but they can't ID enough so 800 number for

and take steps to fix system weaknesses. If I dial a incomplete number and wait for the "you have exceeded your allotted time in dial" please hang up and try again" regarding the switch used as give a new dialout after waiting 1 minute or so. Several more other articles began to appear about how to get connected database out of COCO's, all strengths to a new disease became irrelevant. Good work, boys.

One thing that annoyed a listener in Franklin, Ohio (an unknown) have claimed. I dial a radio station that won't answer the phone until you're on the air. In the interest of saving LD charges, I can't get through to the station because the local switch hangs up the radio (in minutes) have claimed. I dial a radio station that won't answer the phone until you're on the air. In other short four minutes of trying hard to, I don't get a fresh phone line.

Santa Ana, CA

We strongly advise that you don't make late night to another COCO's from abuse. All of the COCO's have a pretty miserable track record to their credit. Many switches now display a menu to change after the called party hangs up. Their previous access to unregistered stations on originating from FRS to radio mail systems. COCO's just happen to be the ones that hang up. Another switch "feature" (feature from this is) is that there is no roaming feature. Their policy is that there is no roaming feature. They don't care or force roaming. This is separate from the roaming normally required by services along distance compensated switch is actually closer to real mistakes. Their policy is that there is no roaming feature. They don't care or force roaming. This is separate from the roaming normally required by services along distance compensated switch is actually closer to real mistakes.

One thing that annoyed a listener in Franklin, Ohio (an unknown) have claimed. I dial a radio station that won't answer the phone until you're on the air. In the interest of saving LD charges, I can't get through to the station because the local switch hangs up the radio (in minutes) have claimed. I dial a radio station that won't answer the phone until you're on the air. In other short four minutes of trying hard to, I don't get a fresh phone line.

Dear 2600:

Recently I had to make a call to a famous government agency from outside the continental U.S. using a number they had provided. When the call connected, a (pseudo) woman's voice came on, speaking in some odd language. It didn't sound like Spanish, but may have been Silesia, Romania. I don't know. When she finished, I got local helping tones like you get when you have the number off hook, not long.

I called directory assistance in the area to get the main numbers for the agency and tried them with the same result. It would have acted there, except it seemed to me that they may think calls from Alaska to Thysia are foreign, or something, and it looked like my call was coming from inside the U.S., Long Beach.

So I tried a calling card I had, which 250 correct

numbers that answer as "DSAC", or something similar sounding. I asked her for some test local numbers for this area, and she listed around 100 of them. She gave me ten for the 714, 211, and 813 ANACs, however none of them worked.

My agency would have it, it surprises me a little, but not much, but they can't ID enough so 800 number for







## Changing Your Grades

by Drew/Sabatine

So you want to be the next Ferris Bueller, huh? Well, it's actually easier than you think! (For not as easy as I'd hoped.)

10) Are you frustrated with those damn teachers? Or are you finding out you're doing too much Internet hacking and

Facebook? Well, this method is better than stealing blank report cards and running them through your printer (which was the method I practiced until now).

First of all, high school computers are very simple (they have to be in order to get anything done). The security is extremely low, the hardest part will be finding the

drives. When I realized that my high school was all networked, I knew that really all I had to do was find the number. At first I stuck in the computer room and used the desk for the number, because I'd find it on a memo or something. After the second or third day I was beginning to get frustrated, cuz we'd always be in pain, in the ass. So I decided to check the phone line itself and there it was, written in pencil on the phone book: 527-XXXX (Sorry, gotta protect the schools).

Step 2: Once you find the number, find out a little about the system. Mine was an IBM 386 (with at least 100 or so mega) running the PARS (Pupil Attendance and Records System) with 10 or so Ethernet Wyse 50 terminal hookups, so it was a fairly small system. To kinda get a feel for the system, I made an appointment with my counselor and asked him to show me my spring schedule (This was in December, two weeks before the end of the Fall semester). As he cruised through the system, I kinda checked it out.

Neal, I realized how to do once (telling all of my classes after lunch) and called it up. I was of course confronted with the "Logon" prompt. After failing a few "GUNST" etc. attempts, I rethought that computer managers are lazy and stupid. So I did my

counselor's first name. *Ringog!*

What To Do If This Happens To You

When the computer asks for an initialization type ANSI. There should be a menu of some sort, and all of the functions will be numbered.

SOFTWARE MENU for test  
30 Wordperfect 5.0  
31 Wordperfect 5.0 personalized setup  
32 Import Wordperfect files from DOS/OS/2  
33 Export Wordperfect files to DOS/OS/2  
56 PARS

60 Spreader

80 Alert where terminal you have logged in  
90 Tape backup

99 Logout

The only two items we're interested in are 55 and 60. PARS is the heart of the system and you will be confronted by another password.

When I realized that my high school was all networked, I knew that really all I had to do was find the number. At first I stuck in the computer room and used the desk for the number, because I'd find it on a memo or something. After the second or third day I was beginning to get frustrated, cuz we'd always be in pain, in the ass. So I decided to check the phone line itself and there it was, written in pencil on the phone book: 527-XXXX (Sorry, gotta protect the schools).

Please enter your password:  
As many experienced hackers know, businesses (and schools) have lame employees who forget the system password(s) easily, so they take it out of the banner. In this case, the password was simply *ADOLE!*

So you are now deep into your school's brain. You have many options: in the attendance menu, you can change that cut-off hours to change that. Just the time that you got where you found the number earlier that morning or you can change your class schedule out. Your teacher is a jerk? (Even though it doesn't matter anyways, cuz you'll get an A in the class no matter what.) You can also alter an entire class period, or even register a new student! (That is a lot of plug-in's, I know.)

Computer. Once you have the data open up type 60 this time (Spreader). Then, list the spoiler files printed today. You should get something like the following (a lot of address and stuff, but the very end is what we are looking for):

2010/15/15:28 pars 9.5121 notorm 806 ATod Daily  
...etc

**WRITE FOR 2600!**  
**SEND YOUR ARTICLES TO:**  
**2800 ARTICLE**  
**SUBMISSIONS**  
**PO BOX 99**  
**MIDDLE ISLAND, NY 11953**  
**INTERNET: 2600@well.stanford.edu**  
**FAX: (516) 751-2800**

The \_\_\_\_\_ and the previous time are the most important bits of information. The \_\_\_\_\_ means that it has either been printed out yet or it has started but not finished. So look at the line above it - this tells where the last document finished printing. So if the time

is 00:00, it should say ENTER GRADING CYCLE, so type Q1, Q2, Q3, or Q4 for which quarter grades you want to change. Of course, if you do, D1, D2, D3, or D4 for Q2 and Q4 are the fall and spring semesters).

When the computer asks for an initialization type ANSI. There should be a menu of some sort, and all of the functions will be numbered.

SOFTWARE MENU for test  
30 Wordperfect 5.0  
31 Wordperfect 5.0 personalized setup  
32 Import Wordperfect files from DOS/OS/2  
33 Export Wordperfect files to DOS/OS/2  
56 PARS

60 Spreader

80 Alert where terminal you have logged in  
90 Tape backup

99 Logout

The only two items we're interested in are 55 and 60. PARS is the heart of the system and you will be confronted by another password.

When I realized that my high school was all networked, I knew that really all I had to do was find the number. At first I stuck in the computer room and used the desk for the number, because I'd find it on a memo or something. After the second or third day I was beginning to get frustrated, cuz we'd always be in pain, in the ass. So I decided to check the phone line itself and there it was, written in pencil on the phone book: 527-XXXX (Sorry, gotta protect the schools).

Please enter your password:  
As many experienced hackers know, businesses (and schools) have lame employees who forget the system password(s) easily, so they take it out of the banner. In this case, the password was simply *ADOLE!*

So you are now deep into your school's brain. You have many options: in the attendance menu, you can change that cut-off hours to change that. Just the time that you got where you found the number earlier that morning or you can change your class schedule out. Your teacher is a jerk? (Even though it doesn't matter anyways, cuz you'll get an A in the class no matter what.) You can also alter an entire class period, or even register a new student! (That is a lot of plug-in's, I know.)

Computer. Once you have the data open up type 60 this time (Spreader). Then, list the spoiler files printed today. You should get something like the following (a lot of address and stuff, but the very end is what we are looking for):

2010/15/15:28 pars 9.5121 notorm 806 ATod Daily  
...etc

**WRITE FOR 2600!**  
**SEND YOUR ARTICLES TO:**  
**2800 ARTICLE**  
**SUBMISSIONS**  
**PO BOX 99**  
**MIDDLE ISLAND, NY 11953**  
**INTERNET: 2600@well.stanford.edu**  
**FAX: (516) 751-2800**

Now you will forever have the grades you gave yourself, and they will come about Wednesday. But, being the hacker type with no patience, you wanna find out right away. Right? So just go into the counseling center and request a transcript, the next day (Tuesday). If they say you are getting your Friday, the teachers would submit all of the files on a Scantron (fill in the bubbles with 2 #2 pencil type of thing) and they would be scanned that afternoon. Then on Monday, they would be printed out and sent back to the teachers to be checked. This obviously was not the time to change grades! The grades would then be recollected and erased later that day. Now for the real tricky part! In order for your grades to appear correctly (sooory for obviousness, you have only a few hours to change them) - Just the time that they were scanned in (and when they are printed out) (see the calendar - between two and five hours depending on how much is backed up to print and stuff).

Monday is the day you should call up the computer. Once you have the data open up type 60 this time (Spreader). Then, list the spoiler files printed today. You should get something like the following (a lot of address and stuff, but the very end is what we are looking for):

2010/15/15:28 pars 9.5121 notorm 806 ATod Daily  
...etc

The \_\_\_\_\_ and the previous time are the most important bits of information. The \_\_\_\_\_ means that it has either been printed out yet or it has started but not finished. So look at the line above it - this tells where the last document finished printing. So if the time

is 4:00 pm then you are fine. But, if it is 4:15 or later you best better hurry (unless your name is at the end of the alphabet). Finally the Student icon, enter PARS/Schedule. Remember, all writers get free subscriptions as well as free accounts on our voice mail system. To contact a 2600 writer, call 0700-751-2800. If you're not using AT&T, prefixes 460 with 10290. Use touch tones to track down the writer you're looking for. Overseas callers can call our office (516) 751-2800 and we'll forward the message.

# An Overview of DSS1

By Cruise-CTRL

What a buzzword. Back in the mid to late 1980s, that's all we heard about. The new all-digital telecommunications package that would allow for sets of up to 64 R2s/64. And it's here, and getting more and more common every day.

There are two primary signaling systems involved in ISDN: SS7 and DSS1. SS7, or Signaling System 7, is a well-known entity - as a matter of fact, SS7 is not limited to ISDN - it's an independent protocol used for things other than ISDN, too. But DSS1, or Digital Subscriber Signaling System 1 (they seem to have forgotten an S here - typical) is limited to ISDN.

DSS1 handles signaling between the end nodes (users, the local loop, whatever you want to call it) and the local telco switches. It's on the ISDN customer's premises and handles subscriber switching.

There have been a lot of compatibility problems with DSS1 - when the first ISDN sites came out several years ago, every vendor had their own protocol, and nobody could talk to each other. Here is where National ISDN 1 steps in. This is a fairly new, standardized ISDN protocol, and it was designed to handle all this compatibility mess. The old sites that were put in before this still have problems talking to others.

A typical residential ISDN subscriber has 2B + 1D channels - that is, two 64 Kbps B channels for data and voice transfer, and a D (delta) channel which handles switching. The D line is DSS1 end, before its acronym was coined, it was pretty much known as just that. Basically, DSS1 carries pertinent

switching information (the subscriber's phone number) in what's called a message.

There is separate signaling between the local loop and trunks (between switches), and this keeps end users away from trunk signaling equipment (the old world of the blue box). The trunk signaling is done by SS7.


On a local loop, a caller on a regular analog phone (using a Terminal Adapter, or TA) could make a call, and the DTMF signals would be sent to the user's PBX. There, the DTMF tones would be converted to a DSS1 setup message, which has a 16 bit address field. The user's central office switch would then convert the DSS1 message to an SS7 ISDN UserPart message.

From there, the SS7 signal would travel through the network to the receiving party's CO. The CO would convert the SS7 signal to (you guessed it) a DSS1 message. The ISDN-equipped PABX on the called party's end would then, if necessary, convert the DSS1 message to DTMF tones, and the phone would ring. If the recipient's phone was an ISDN set, the DSS1 message would go straight to it, rather than having to do an extra DTMF conversion.

Also, if there was no PABX on the site, but just a single ISDN phone on the local loop, the DSS1 signal from the CO would go straight to the phone. And if the call was made to a node on the same CO, SS7 wouldn't be used at all - the DSS1 signal would travel from one node on the CO to the other node, working just like a regular same-CO phone call would, not using trunk lines at all.

Another tool that might be useful is the Bellcore National ISDN informational hotline number is (800) 822-6735.

# QUARTER NOTES



In keeping with our tradition of screwing up neatly every circuit diagram we've ever printed, we're happy to report that last issue's Quarter schematic did indeed contain an error: pins 3 and 8 on U3 should not be connected. While the error prevents the circuit from oscillating correctly, it should not have damaged the chips in any way.

Other readers expressed frustration with trying to obtain a 0.001 Ohm speaker. We admit that the speaker is somewhat obscure, but it was necessary in order to keep circuit parts at a minimum. For the record, we were able to use a dynamic microphone element (part number 25LM033 from Mouser Electronics) rated at 30 Ohms. It is possible to use more common speakers such as those rated at

8 Ohms, however, not without the addition of an op-amp to create U1's expected impedance.

The above schematic is a simple variation of the one we printed in our last issue. Readers will note that the original error is corrected (pins 3 and 8 on U3 are not connected), and that the circuit contains two additional parts: T1, a 2N2222 NPN transistor (although any NPN transistor should work); and R4, a 1 kOhm resistor. These parts comprise a simple op-amp that will allow virtually any low-impedance speaker to be used.

We were able to purchase all our parts collectively from the following firms: Digi-Key Corporation (800-344-4539); Mouser Electronics (800-346-0873); and Systech Electronics (800-851-8870). .

# BOOK REVIEW

## Approaching Zero

By Paul Mungo and Bryan Clough

Random House

286 pages (plus "notes" and a "selected bibliography")

Review by Stephen J. Fleiss

First published in Great Britain in 1982 this year became available in the U.S. in April.

Despite its size, it has a subtitle which is a masterpiece: "The Extrordinary Underworld of Such Venerated Publications as GQ, The Hollywood Reporter, Variety, and Time." Bryan Clough is an English racing star & a member of New Scotland Yard's National Computer Crime Squad. He is also said to be "an accountant who speaks English in international computer security."

The book is not so much a story as a collection of unrelated anecdotes. Nor do the authors attempt to identify common themes or points of view. Nor can the book be said to be a history of its subject matter because there is little historical content. Like many竽authored books, it is a hodgepodge. However, the work in both is well-researched. Given the author's journalistic training, it is not surprising that *Approaching Zero* has a more international (and particularly European) flavor than most of the previous efforts in this genre. It also has more of a focus on computer viruses than any other *typical* book. In fact, it is the author's journalistic background which facilitated the book's success.

The Prologue starts with a slice of the life of "Fly Guy." This is where the book begins to go wrong. The reader, of course, is a brat, and we are told that the book is a mix of fact and fiction. The book is not told us that Fly Guy is a computer and gave unjustified raises to his friends who worked at that venerable hamburger chain - which is what really got him his nickname. Fly Guy is often described as "brushing into the dynamics of Credit Systems of America." He had just broken into one of the most secure computer systems in the United States, one which held the credit histories of millions of American citizens. There is no such company as "Credit Systems of America." Fly Guy had to come up with the computers of other TPA (Credit Data or Equifax - systems which have been breached so frequently and regularly over the last 15 years that they can hardly be learned

"out of the mass media in the country. Are we so 'so sensitive' about the names TPA and Credit Systems of America that the beginning of a pattern which permeates the book.

Facts 819 (incorrect, or deliberately? misleading) This should not be surprising. In 1979 the book's acknowledgments the authors state: "Because of the sensitivity of much of the material in this book, the names of some individuals and companies and the order of certain events have been changed. Various details have also been deliberately altered. The descriptions of certain illegal acts, and some technical definitions have been simplified to aid comprehension."

To a few journalists who believe that the book is best as the "truth can be ascertained" but recorded accurately and clearly - and in an entertaining manner and style - this is a sad admission, perhaps the authors would be more comfortable writing fiction. This thought is heightened by the authors' seemingly frequent use of terms such as "allegedly." In one case they have this sentence: "The most successful bank robbery ever carried out by a single gang never reported two years ago - and then on to four pages of technically ludicrous details of how these robbers supposedly did it. They write that the robbers "...dug the Clifford computer controlling the FRT transfers to divert all of its traffic to an unused account tampered with previously discovered. They took turns sitting on the terminal..." The idea of two robbers taking turns picking up a "presumably disguised" terminal is numerous - and a shameful misuse of the Kung's English, particularly for a subject from Scotland Yard, and a long-term participant in London. But where is the

Congress in the 80's? It had a similar but longer name, it was subsequently passed by a 1986 law. This is nothing short of sloppy journalism, perhaps when Mungo is used to in the world of London law enforcement, and from a legal standpoint, what Clough, with his Scotland Yard affiliation, ought to be expected of.

In another instance, the authors confuse Telnet and E-mail as being two different X.25 networks - without realizing that they are one and the same. There are numerous examples throughout the book of such ignorance, and misuse of technical and business terms. This is possibly the worst (the book doesn't even have an index). It is not that they always have their facts wrong, sometimes they get them right. But at what point should the reader suspend belief in what is ostensibly a non-fiction book?

Approaching Zero has moments of art, however - however this is due less to journalistic objectivity than to the dry, cerebral style of its authors. The first part of the French Executive reported the site about the French Executive, and so on, maybe not lack of any interest, but just broken into one of the most secure computer systems in the United States, one which held the credit histories of millions of American citizens. There is no such company as "Credit Systems of America." Fly Guy had to come up with the computers of other TPA (Credit Data or Equifax - systems which have been breached so frequently and regularly over the last 15 years that they can hardly be learned

of the data. Mungo and Clough offer no serious discussion of how this would, or could be done.

The authors' use of aliases creates the height of ridiculousness in the case of Telnet. Fly Guy - the writers don't even have the decency to put this ridiculous name in quotes, perhaps they think that the surname is their clever way of signaling this falsehood to the reader. Clearly,

"Tel. Rcale" is Ian Murphy who has used the names "Captain Zap" and "Bill Cooper." What publishes "Captain Zap" and "Bill Cooper." What makes this book so foolish is that Murphy has publicly - he claims it's good for his security consulting business. Hell that all the names have been changed. Steve Wozniak, John Caputo, Munro" Draper, and Robert Morris Jr., among others, are all vaguely identified. Which leaves a person wondering what effect the authors use to selectively change popular names (which even having enough respect for one reader to inform them when the writers have done so).

Even when the authors seem straightforward, passing on rumors, they have an annoying tendency for errors and contradictions. On page 66 they say this: "The last federal law (U.S. on computers. The Computer Fraud and Abuse Act, was passed in 1986. On page 229 they call the "Computer Fraud and Misuse Act" - or last, the first national American law was passed by Congress in 1986 and it had a similar but longer name, it was subsequently passed by a 1986 law. This is nothing short of sloppy journalism, perhaps when Mungo is used to in the world of London law enforcement, and from a legal standpoint, what Clough, with his Scotland Yard affiliation, ought to be expected of.

In another instance, the authors confuse Telnet and E-mail as being two different X.25 networks - without realizing that they are one and the same. There are numerous examples throughout the book of such ignorance, and misuse of technical and business terms. This is possibly the worst (the book doesn't even have an index). It is not that they always have their facts wrong, sometimes they get them right. But at what point should the reader suspend belief in what is ostensibly a non-fiction book?

Approaching Zero has moments of art, however - however this is due less to journalistic objectivity than to the dry, cerebral style of its authors. The first part of the French Executive reported the site about the French Executive, and so on, maybe not lack of any interest, but just broken into one of the most secure computer systems in the United States, one which held the credit histories of millions of American citizens. There is no such company as "Credit Systems of America." Fly Guy had to come up with the computers of other TPA (Credit Data or Equifax - systems which have been breached so frequently and regularly over the last 15 years that they can hardly be learned

rendition, there is no sense of adventure, and the plotless, dead-on-the-shoulder style of the book.

The sentence of the book where the authors most get into the subject of viruses (particularly the chapter called "The Bulgarian Threat"), based on the academic - although very may contain much historical and interesting information, problem is, & with the outright

badgers, the authors, and the pages of rumors, one doesn't know whom to believe. The authors, and when not is. As a fellow "researcher" (generally consider this book as) "unreliable" source

In a truly foolish ending, the authors make a claim that the "authors" are the "best" in the world. Do you, would, where the book's Acknowledgments. This should not be surprising. In 1979 the book's acknowledgments the authors state: "Because of the sensitivity of much of the material in this book, the names of some individuals and companies and the order of certain events have been changed. Various details have also been deliberately altered. The descriptions of certain illegal acts, and some technical definitions have been simplified to aid comprehension."

To a few journalists who believe that the book is best as the "truth can be ascertained" but recorded accurately and clearly - and in an entertaining manner and style - this is a sad admission, perhaps the authors would be more comfortable writing fiction. This thought is heightened by the authors' seemingly frequent use of terms such as "allegedly." In one case they have this sentence: "The most successful bank robbery ever carried out by a single gang never reported two years ago - and then on to four pages of technically ludicrous details of how these robbers supposedly did it. They write that the robbers "...dug the Clifford computer controlling the FRT transfers to divert all of its traffic to an unused account tampered with previously discovered. They took turns sitting on the terminal..." The idea of two robbers taking turns picking up a "presumably disguised" terminal is numerous - and a shameful misuse of the Kung's English, particularly for a subject from Scotland Yard, and a long-term participant in London. But where is the

Congress in the 80's? It had a similar but longer name, it was subsequently passed by a 1986 law. This is nothing short of sloppy journalism, perhaps when Mungo is used to in the world of London law enforcement, and from a legal standpoint, what Clough, with his Scotland Yard affiliation, ought to be expected of.

Even when the authors seem straightforward, passing on rumors, they have an annoying tendency for errors and contradictions. On page 66 they say this: "The last federal law (U.S. on computers. The Computer Fraud and Abuse Act, was passed in 1986. On page 229 they call the "Computer Fraud and Misuse Act" - or last, the first national American law was passed by Congress in 1986 and it had a similar but longer name, it was subsequently passed by a 1986 law. This is nothing short of sloppy journalism, perhaps when Mungo is used to in the world of London law enforcement, and from a legal standpoint, what Clough, with his Scotland Yard affiliation, ought to be expected of.

In another instance, the authors confuse Telnet and E-mail as being two different X.25 networks - without realizing that they are one and the same. There are numerous examples throughout the book of such ignorance, and misuse of technical and business terms. This is possibly the worst (the book doesn't even have an index). It is not that they always have their facts wrong, sometimes they get them right. But at what point should the reader suspend belief in what is ostensibly a non-fiction book?

Approaching Zero has moments of art, however - however this is due less to journalistic objectivity than to the dry, cerebral style of its authors. The first part of the French Executive reported the site about the French Executive, and so on, maybe not lack of any interest, but just broken into one of the most secure computer systems in the United States, one which held the credit histories of millions of American citizens. There is no such company as "Credit Systems of America." Fly Guy had to come up with the computers of other TPA (Credit Data or Equifax - systems which have been breached so frequently and regularly over the last 15 years that they can hardly be learned

rendition, there is no sense of adventure, and the plotless, dead-on-the-shoulder style of the book.

The sentence of the book where the authors most get into the subject of viruses (particularly the chapter called "The Bulgarian Threat"), based on the academic - although very

**THE 2600**  
**VOICE BBS**

NOW OPEN 24 HOURS A DAY  
**(10288) 0700-751-2600**

JOIN THE FUN!



# more cellular fun

by Judas Gerard

In the Spring 1993 issue of 2600, Bootleg did an admirable job with his article "Cellular Magic". There are a few things that would be helpful if clarified, so let's do that. I'll assume you read Bootleg's article and have some understanding of the cellular network.

Unless a hacker is quite adept at both hardware and software coding, the term "internal reprogramming" in a phone's firmware is the Electronic Serial Number (ESN). On the phones I've worked on, the ESN is stored in a separate, discrete PROM. While some of the newer phones may instead incorporate the ESN into a VLSI chip with the operating software and NAM, the vast majority of the units floating around don't. The ESN is not contained in the same chip as the other data.

Now for iron many people who thought the PROM (or EEPROM) containing the phone's parameters such as MN, SIDH, lock code, etc. was the same chip holding the ESN. It isn't, and this becomes obvious when you realize that until a few years ago, these parameters had to be burned into a new chip by the dealer when you bought your phone and were assigned a number, or changed service.

Putting the ESN in the PROM serving as the Numeric Assignment Module (NAM) would be a de facto destination from the EIA standard for cellular phones. This specification states: "The circuitry that provides the serial number must be isolated from fraudulent contact and tampering. Attempts to change the serial number inoperatives." It's obvious the manufacturers didn't do a very good job in this respect, or cellular frauds wouldn't have reached the \$300 million per year mark so quickly. It's no wonder cellular fraud is becoming the medium of choice for hackers who are able enough to push the envelope. It should be interesting to see what "hacking" techniques develop in the cellular arena.

Where the Hell is the ESN?

Getting back to the lonely little PROM

with the ESN, once you know it's not in the EEPROM serving as the NAM, or tucked away with the operating code for the phone, it becomes easier to locate, remove, and read (and change, if that was your desire).

The package buried with the ESN is often a 15-pin DIP style surface mounted device (SMD). Son1 obscures this with the large 256 bit (32x8) PROM or EEPROM used as the NAM. The ESN may be stored in a 32x8 bit chip, but it sure won't be sitting in a separate, discrete PROM. While some G.E. Merit portable phone shows the ESN located in a Ricoh RFS401 54 bit PROM. Interestingly, this 8-pin IC is soldered all by itself on the foil (trace) side of the logic circuit board instead of the non-porous side with everything else. It's either shy or a lamer, and decided to hide from the larger chips and hackers alike.

The photograph with this article is provided to give you a feel for what we're discussing. Not being one of the geniuses who can reverse phone software, I don't know for a fact which chip contains the ESN on this model as I haven't researched it. None of the large chips to the left of the board are the ESN PROM. One of the small SMDs below the microprocessor or the tiny 8-pin IC below and slightly to the left of the crystal area likely subjects for closer scrutiny. If there is enough interest, perhaps we'll eliminate the challenge by publishing a close-up photo of the correct chip... but that takes the fun out of it!

In closing, it is important to note that there is no single answer as to where the ESN is "hidden". This varies from manufacturer to manufacturer, and even phone to phone. As the hardware evolves and phones get smaller and smaller, the use of custom "Very Large Scale Integration" (VLSI) circuits increases. In those instances, the ESN could easily be buried in the same chip as the NAM or operating software.

ESN Downloading

An interesting note in this area is the

recent discovery that Motorola and perhaps others have cut costs by designing late-model phones with circuitry that allows the ESN to be downloaded into the phone after manufacture rather than by mounting a pre-burned chip during assembly. There is at least one device that has recently become available that will interface your IBM PC to the phone in order to change the ESN at will. If that sounds interesting, I hope your subscription to 2600 is current. I'd feel badly if you missed our review of the product.

## Caller ID

The topic of Caller ID isn't particularly relevant to cellular

hacking, especially since carriers almost never pass Caller ID information from the network to the local telephone service. This degree of anonymity is one of the nice attributes of cellular communications.

There have been numerous letters requesting information on Caller ID, especially looking for techniques to defeat the service.

Unfortunately, the outcome is given in this area, as you will see.

For a telco to offer the Caller ID service, the local ESS switches

must be of a sufficiently

recent revision and be

SS7 capable. Caller

data, whether generated by the switch itself in the case of local calls, or sent through the SS7 network with the other call setup information, is eventually dumped down your phone line to be captured by your display device, modem, or CID to RS-232 converter and displayed on your PC.


This signal is applied to your line after the first full ringing cycle during the "start

period" between the rings by the Voice-

band Digital Interface (VBD) contained in

your local switch. The data is transmitted as a 1203 bps asynchronous, ASCII-encoded simplex FSK data stream. The standard used is just like the Bell 202 modem specification, with the mark frequency being 1200 Hz and the space (logical zero) represented by 2200 Hz. The problem with developing Caller ID countermeasures lies within the nature of ESS. These switches establish no actual connection between the calling and called lines until after the phone has been answered (and the Caller ID data has been transmitted). This is the same thing that rendered the "Black Box" totally useless.

If you are not connected to the number you are calling until after the Caller ID data has been dumped, I don't know of a way to introduce any modified data. You can't even do much after the person has answered because the Caller ID display units depend on a "ring detector" to sense when the phone is ringing to extract and apply AC termination to the line and attempt to sync up with the data stream. Once the voice connection is established and the calling party is of hook, the display device will ignore anything you dump down the line.



A solution on the horizon? There is a possible solution to this dilemma, but it requires the ability to access your switch's programming. Since certain telcos (like Navistar's Central)

cooperate with law enforcement by programming the switch to send a fake number via Caller ID to assist in sting operations. It wouldn't surprise me if hackers renewed their efforts to obtain

acronyms s-x (no Y or Z)

卷之三

## 2600 MARCHINGS

Ann Arbor, MI  
Galleria on South University  
Austin

Northgate Mall, across the street from the food court, next to Pipe World.

St. Paul of America, food court  
Boise, ID

Student Union building at Boise State University  
near payphones. Payphone numbers: (208) 342-6422, 342-6420, 342-6426, 342-6426.

Buffalo

Eastern Hills Mall (Carmen's) by lockers, rear food court.

Cambridge, MA  
Harvard Square, Instac "The Garage" by the Plaza

Pad on the second tier.

Chicago  
Century Mall, 2229 Clark St., in the 3rd Coast Cafe

Columbus, OH  
City Center Mall, outside the main food entrance to

Marshall Fields.

Danbury, CT  
Darien Fair Mall, off Exit 4 of I-64, in the food court. Payphones: 203-734-3006, 203-734-9851.

Fort Lauderdale

West Hollywood Bowling Alley, 288 South State Route 7. Call voice mail for details or charges: 305-680-9214, 100%.

Houston

Galleria Mall 2nd story overlooking the skating rink.

Kansas City

Food court at the Oak Park Mall in Overland Park

Kansas.

Los Angeles

Union Station, corner of Mary & Alameda. Instac main entrance by back of offices. Payphones: 213-912-9583, 938-9316, 9315, 9520, 213-625-9624, 931-9316, 931-9316.

Madison, WI

Union South (227 S. Randall St.) on the main level by the northeast. Payphone numbers: (608) 261-8746, 8741, 8815, 8823.

Memphis

Hickory Ridge Mall, Winchester Rd., in the food court. Payphones: 901-386-4017, 4018, 4019, 4020, 4021.

New York City  
Grand Central, in the lobby, near the payphones, 152 E. 53rd St., between Lexington & 3rd.

Payphones: 212-225-9211, 9227, 212-309-3048; 52.

Philadelphia  
30th Street Amtrak Station at 35th & Market, under the "Station 7" sign. Payphones: 215-222-9880, 381-9778, 8733, 3602, 215-547-9751.

Pittsburgh  
Pittsburgh Galleria Mall, south of downtown, on Plaza 270, in the food court. Payphones: 412-423-9266, 9277, 9264.

Poughkeepsie, NY  
30th Hills Mall, off Route 9, by the payphones in front of Radio Shack, next to the food court. Payphones: 914-259-9221, 9354, 9555.

St. Louis  
Galeria, Highway 40 and Brentwood. Lower level, food court area, by the theaters.

San Francisco  
4 Embarcadero Plaza (inside). Payphones: 415-369-9823, 4-56.

Seattle  
Washington State Convention Center, first floor. Payphones: 206-222-8774, 567.


Washington DC  
Fenway City Mall in the food court.

Actual footage of Dr. Zissas' hackers penetrating a United States military computer system in the summer of 1981. This is not a screen videotape. These hackers (flamed this to show everybody just how easy it really is). In fact, a small part of this tape was shown on *News at Six* Can Be Held. This version tells the whole story and runs about 30 minutes. \$10. VHS, VHS format only.

## The Shirt



## The Video



You won't find it in clothing & stores. (We did, but that's a long story.) The 2600 hacker t-shirt could be the fashion statement of the nineties. After all, anything is possible. Two-sided, white lettering on black background. The box schematic on the front, hacker newspaper articles on the back. \$15 each, two for \$26. L. L. Cool J.



### 2600 SUBSCRIPTIONS

#### INDIVIDUAL

#### CORPORATE

#### OVERSEAS

1 year, individual/\$30  1 year, corporate/\$65

#### LIFETIME

\$260 (also includes 1984, 1985, 1986 back issues)

1984  1985  1986  1987  1988

1989  1990  1991  1992

1993  1994  1995  1996

#### 2600 BACK ISSUES

\$25 per year  
(Overseas add \$5 per year)

(Individual back issues for 1984-1986 are \$15 each, \$7.50 overseas - we do not know how to check off postage figures for a single issue, so we do not know how to do it.)

**NAME/ADDRESS, SUBSCRIBER#, SPECIAL NOTES, ETC.**

MAIL TO: 2600, POB 762,  
MIDDLE ISLAND, NY 11959

**JOTAL AMOUNT:**